



2019—2020产品目录
Product Catalog

广州市耐动信息科技有限公司
GUANGZHOU NEDONG INFORMATION TECHNOLOGY CO.,LTD.

耐动驰天下 · 环保我先行

INNOVATION · ENVIRONMENTAL-FRIENDLY · LOW-CARBON LIFE

NEDCNG®



According to the statistics released by China Rubber Industry Association (CRIA), the enormous amount of wasted tires in China had reached 299 million pieces which is about 10.8 million tons in 2013. since then, the number has growing 8% to 10% annually.


Wasted tire is a kind of "black pollution" which will produce many harmful gas when people burn them, occupy large land space and affects water quality, etc. At present, oil refining and desulfurization regeneration are the two major recycling methods of waste tires, which causes serious pollution to the air and water and results in huge waste of resources.

With all these problems, Nedong has already taken a big step to help the environment by providing its innovative products.

据中国橡胶工业协会统计

**早在2013年,中国废旧轮胎产生量已达到
2.99亿条,约1080万吨
并以每年约8%至10%的速度在增长。**

废旧轮胎是一种危害巨大的“黑色污染”,大量废轮胎堆积占用土地、污染环境、危害健康,造成巨大的资源浪费和安全隐患,废轮胎直接燃烧会产生二噁英、呋喃等持久性有机污染物以及锌、铜、镍、铅等重金属污染物,废旧轮胎的主要回收方式以炼油及脱硫再生处理,由此造成严重的大气和水污染,同时带来巨大的资源浪费;



耐动十年, 不忘初心 持续创新研制绿色产品与服务

耐动产品坚持采用环保材料，均通过欧盟严苛的ROHS、SVCH测试、认证；通过美国CPSIA检测，达到欧美环保标准要求。耐动产品环保、可回收，极大的降低资源损耗，回收的产品广泛应用于制作塑胶跑道、鞋底等领域，充分实现再利用。

**For 10 Years, Nedong Keeps Its Initial Faith:
Continuously challenge itself and provide the best environmental products and services.**

Nedong insist to adopt eco-friendly materials on products, which are qualified by RoHS and SVCH testing. By passing USA CPSIA testing, Nedong products meet the requirements of Europe and America environmental standards. Eco-friendly, recyclable Nedong products vastly minimize resources loss. Recycled tires are re-converted into raw materials which could be used to produce plastic cement race track, sole and other plastic process.



耐动驰天下 · 环保我先行

INNOVATION · ENVIRONMENTAL-FRIENDLY · LOW-CARBON LIFE

目录

Content



05-06 企业简介
Company Profile

07 公司荣誉
Company Reputation

08-10 产品介绍
Product Description

11-12 轮胎规格表
Specifications List

13-16 自行车轮胎
Bicycle Tire

17-19 电动自行车/滑板车轮胎
E-Bike/Scooter Tire

20-21 医疗系列
Medical Series

22 耐动合金车圈
Nedong Alloy Rim

23-25 耐动环保塑钢轮
Nedong Eco-Friendly Plastic Wheel

26 特种轮胎/轮毂定制
Product customization

27 客户定制案例
Customization cases

28 耐动塑钢车篮
Nedong Plastic Basket

29 耐动TPE把套
Nedong TPE Handlebar Cover

30-31 装胎工具
Installation Equipment


32-35 应用案例
Cooperation Cases

36 展望未来
Prospect

公司简介

COMPANY PROFILE





广州市耐动信息科技有限公司(以下简称“耐动公司”)成立于2009年,注册资金3487.5万元。作为一家坚持使用环保可回收材料,开发新产品的国家级高新技术企业,耐动公司牢记“持续创新研制绿色产品与服务”的企业使命,团队满怀激情,勇于探索,实现企业“绿色伴您畅行”的愿景!

耐动公司坚持用科学、高标准的管理体系来指导公司的研发、经营、销售,先后通过ISO9001质量管理体系认证,ISO14001环境管理体系认证,ISO18001职业健康安全管理体系认证。

耐动公司高度重视产品、技术的研发创新,构建耐动研发中心、与业内知名专家、国内知名科研院所三位一体创新研发合作平台,不断创新产品和服务,品质不断提升。目前已获得国内外100多项相关的专利,已成功研制出环保免充气轮胎、环保塑胶一体轮毂等产品和服务,广泛应用于自行车、电动车、智能车、医疗用车及特种车辆等领域,获得业内企业和用户的高度认可。

耐动公司在全体员工的努力和合作伙伴的信任支持下,在技术研发、产品创新、经营管理、社会贡献等方面取得了卓越成绩,近年来获得了“科学技术成果”奖、“高新技术产品”奖、“国家高新技术企业”等多项政府奖励、和荣誉。耐动公司始终坚信,通过不断的努力追求和创新,一定能够让出行生活变的越来越绿色健康。

Guangzhou Nedong Information Technology Co., Ltd (hereinafter referred to as "Nedong") was established in 2009 with a registered capital of 34.875 million Chinese Yuan. As a national high-tech enterprise that insists on using environmentally friendly, recyclable materials and developing new products, Nedong has been adhering to the mission of "Continuous Innovation and Development of Green Products and Services". Embracing a great passion and spirit of exploration, Nedong consistently leads the recyclable product run pioneer role.

Nedong insists on employing scientific, high-standard management system to guide the company's R & D, operation and sales. Having passed ISO9001 Quality Management System Certification, ISO14001 Environmental Management System Certification and ISO18001 Occupation Health Safety Management System Certification, the company attaches great importance to R&D and innovation of products and technologies and builds a cooperation platform that integrates Nedong R&D center, well-known experts in the industry and renowned research institutes in China to constantly innovate products and services and improve quality. Up to now, the company has obtained more than 70 related patents at home and abroad, and has successfully developed products and services such as environmentally-friendly non-pneumatic tires and environmentally-friendly plastic integrated wheels, which are widely used in bicycles, electric vehicles, smart cars, medical vehicles, and special vehicles and highly recognized by companies and users in the industry.

With the efforts of all employees and the support of all partners, Nedong has achieved outstanding performance in terms of technology research and development, product innovation, business management, and social contribution. In recent years, Nedong has won many governmental awards and honors, such as "Science and Technology Achievements", "High-tech Products", and "China National High-tech Enterprise". Nedong has always firmly believed that constant pursuit and innovation will definitely make daily travelling life more eco-friendly and healthy.

公司荣誉 COMPANY REPUTATION



公司荣誉 Reputation

- 发明专利(Invention Patents):32项
- 实用新型专利(Utility Model Patents):39项
- 国际专利(International Patents):5项
- 外观设计专利(Industrial Design Patents):45项
- 广东省高新技术企业
- 广东省高新技术产品
- 广东省最具竞争力企业
- 广东省最具竞争力品牌
- 广东省自主创新标杆企业
- 中国制造之美-银奖
- 知识产权管理体系认证
- 天英汇创新创业大赛成长组冠军
- 第二十二届全国发明展金奖
- 第六届中国创新创业大赛新材料行业广州赛区成长组第三名

耐动坚持使用环保可回收材料开发新产品,已成功应用于自行车、电动车、轮椅等产品配件上,回收的产品可在跑道、鞋底等方面进行再利用;并针对医疗行业研发抗菌材质的环保产品,可广泛应用于医护病床、轮椅等医疗工具。

Nedong insists to apply eco-friendly materials into development which are widely used in accessories of bicycles, e-bike, wheelchair, and recycled in plastic cement race track and sole. Likewise, we specifically invented anti-bacteria material products which could be highly applied in the medical and nursing devices such as hospital bed, wheelchair, etc.

性能介绍 PERFORMANCE INTRODUCTION



材料无毒环保。
Material is non-toxic and environmentally friendly



不怕扎, 免充气。
Puncture-free, inflation-free



缓冲性能好, 骑行舒适。
Good cushion performance, comfortable riding



可根据客户需求定制轮胎规格、颜色。
Sizes, structures and colors can be customized




抗酸雨、紫外线、臭氧, 耐候性强, 即使在强光照射、酸雨等严酷的环境下, 轮胎在五年之内不会出现龟裂。
Resistance to acid rain, ultraviolet rays and ozone; strong resistance to weather; the tire will not crack within five years even in the harsh environment of strong light, acid rain, etc.



性能特点 Performance Characteristics	耐动环保免充气轮胎 NEDONG Non-pneumatic Tire	其他免充气轮胎 Other Inflation-free Tire
结构原理 Structure Principle	 蜂窝状圆孔减震结构,整体注塑而成。 Honeycomb-shape Hollowed out shock-absorbing structure, one-step injection molding.	 内外包层或实心性结构。 Inner and outer cladding or solid structure.
舒适性能 Comfort Performance	 高弹材料,合理的物理结构,保证了轮胎的舒适性。 Highly elastic materials and reasonable physical structure ensure the comfort of the tire.	 没有弹性,吃力,颠簸,产生跳动不平。 No flexibility. Laborious. Bumpy. Jumpy.
耐气候性 Weather Resistance	 使用饱和材料,轮胎耐臭氧、酸雨和紫外光,五年内不会自然龟裂。 By adopting saturated materials, the tires are resistant to ozone, acid rain, and ultraviolet light and will not crack naturally within five years.	 容易受不同环境的气候影响,容易老化。 Affected and aged easily by weather.
耐受温度 Temperature Resistance	 在+60°C至-40°C都能正常使用。 Can be used normally under the temperature from +60°C to -40°C.	 耐受温差小,低温容易硬化,高温容易软化。 Tolerant to only small temperature difference. Easy to harden at low temperature or soften at high temperature.
易用性 Usability	 想骑行时,随时随地推车走,骑行时,不担心轮胎扎破。 No need to worry air and pressure leak. Puncture-proof..	 容易发生凹陷,脱落,使用不久就失去实用性。 Depression, shedding, and loss of practicality within a short period of time
环保性能 Environmental Performance	 材料环保,已通过SGS检测的ROHS环保测试。 The material is environmental friendly and has passed the ROHS environmental test by SGS.	 材料不环保,给环境造成污染。 Non-environmental friendly materials, may cause environmental pollution.
滚动阻力 Rolling Resistance	 骑行阻力小。 Low rolling resistance.	 受力不均,阻力大。 Uneven stress and high rolling resistance.
颜色定制 Customization of Color	 有多种颜色可供选择。 Various options of color.	 不可定制颜色。 Color cannot be customized.
拆装使用性 Mounting performance	 拆装方便,可以重复使用,二次安装在匹配的轮毂上。 Easy to uninstall, and repeat install on matched rim/wheel.	 一次性使用,不能二次拆装,不能重复使用,增加用户的使用成本。 Disposable. Can't be re-installed and reused. Increasing users' cost.

轮胎规格表

SPECIFICATIONS LIST



	尺寸 Size	产品代码 Product Code	轮胎卡位直径 Tire Inner Diameter	轮胎卡位宽 Tire Groove Width	匹配车圈外直径 Rim Outer Diameter	匹配车圈卡槽宽 Rim Groove Width
自行车 轮胎 Bicycle Tire	28x1-3/8 (35-622)	B2801	605mm	26.5mm	638mm	19.5mm
	700Cx23C	B2701	600mm	19mm	630mm	14.5mm
	700Cx25C	B2702	600mm	23mm	630mm	18.5mm
	26x1-3/8(35-584)	B2601X	570mm	25.8mm	602mm	19.5mm
	26x1-3/8(35-559)	B2602X	540mm	25.8mm	573mm	19.5mm
	26x1.75(40-559)	B2607	540mm	30mm	573mm	25mm
	26x1.5(38-559)	B2603	540mm	30mm	573mm	25mm
	26x1.5(38-559)	B2604	540mm	25.8mm	573mm	19.5mm
	26x1.5(38-559)	B2605 (倒扣)	540mm	30mm	573mm	23.8mm
	24x1-3/8 (35-534)	B2401X	520mm	25.8mm	550mm	19.5mm
	24x1.75 (40-534)	B2403X	520mm	30mm	550mm	25mm
	24x1.5 (38-507)	B2404	496mm	30mm	520mm	25mm
	24x1.5 (38-507)	B2407 (倒扣)				23.8mm
	24x1.5 (38-507)	B2408 (大小孔)				25mm

	尺寸 Size	产品代码 Product Code	轮胎卡位直径 Tire Inner Diameter	轮胎卡位宽 Tire Groove Width	匹配车圈外直径 Rim Outer Diameter	匹配车圈卡槽宽 Rim Groove Width
自行车 轮胎 Bicycle Tire	22x1.5 (38-457)	B2201	446mm	30mm	470mm	23.8mm
	20x1-3/8 (35-406)	B2001X	390mm	25.8mm	420mm	19.5mm
	20x1.75 (44-406)	B2003	390mm	30mm	420mm	25mm
	20x1.5 (38-406)	B2002	390mm	30mm	420mm	25mm
	16x1-3/8 (35-305)	B1601X	305mm	22mm	320mm	19.5mm
	16x1.5 (38-305)	B1602	305mm	30mm	320mm	25mm
	12x1.5 (38-203)	B1201	205mm	30mm	220mm	25mm
电动自行车 / 滑板车 轮胎 E-Bike / Scooter Tire	16x2.125	E1604	305mm	33.8mm	320mm	31.8mm
	14x2.5	E1404	260mm	40mm	270mm	38mm
	14x2.125	E1403	255mm	31mm	270mm	30mm
	14x1.75	E1402	246mm	29mm	270mm	25mm
	12x2.0	E1202	210mm	27mm	220mm	25mm
	10x2.75	E1005	170.5mm	70mm	179mm	50.5mm
	10x2.5	E1006	156.5mm	33mm	165mm	31mm
	10x2.0	E1003	156.5mm	35mm	165mm	34mm
	10x2.125	E1004	170mm	40mm	180mm	38mm
	8.5x2.0	E8501	155mm	36mm	165mm	34mm
	8x2.0	E0802	132mm	28mm	140mm	26mm
	8x2.0	E0803	132mm	37mm	140mm	35mm
	8x2.0	E0804	132mm	34mm	140mm	32mm
	6.5"x1.8	E6502	124mm	38mm	134mm	36mm
	6x1.6	E0601	95mm	24mm	106mm	22mm
	5.5x1.6	E5501	95mm	24mm	106mm	22mm
医疗系列 Medical Series	8x2.0	W0808	124mm	35mm	130mm	29mm
	8x1.8	W0807	124mm	35mm	130mm	29mm
	12x2.5	W1204	245mm	42mm	255mm	36mm
	20x1.1	W2006	442mm	24mm	460mm	18.5mm
	22x1.1	W2202	496mm	24mm	520mm	18.5mm
	24x1.1	W2409	525mm	24mm	550mm	18.5mm

自行车轮胎 NEDONG BICYCLE TIRE





12"x1.5

16"x1.5

20"x1.5

车圈直径:
Rim Diameter

220mm

320mm

420mm

车圈卡槽:
Rim Groove Width

25mm

25mm

25mm



22"x1.5

24"x1.5

26"x1.5

车圈直径:
Rim Diameter

460mm

520mm/550mm

573mm

车圈卡槽:
Rim Groove Width


25mm

25mm

25mm



	20"x1.75	24"x1.75	26"x1.75
车圈直径: Rim Diameter	420mm	550mm	573mm/602mm
车圈卡槽: Rim Groove Width	25mm	25mm	25mm



	16"x1-3/8	20"x1-3/8	24"x1-3/8	26"x 1-3/8
车圈直径: Rim Diameter	320mm	420mm	550mm	573mm/602mm
车圈卡槽: Rim Groove Width	19.5mm	19.5mm	19.5mm	19.5mm



	700Cx23C	700Cx25C	28"x1-3/8
车圈直径: Rim Diameter	630mm	630mm	635mm
车圈卡槽: Rim Groove Width	14.5mm	18.5mm	19.5mm



电动自行车/滑板车轮胎

NEDONG E-BIKE/SCOOTER TIRE





	5.5"x1.6	6"x1.6	6.5"x1.8
轮毂直径: Rim Diameter	106mm	106mm	134mm
轮毂卡槽: Rim Groove Width	22mm	22mm	36mm



	8"x2.0	8.5"x2.0	10"x2.0
车圈直径: Rim Diameter	140mm	165mm	165mm
车圈卡槽: Rim Groove Width	26mm/32mm/35mm	34mm	34mm



	10"x2.125	10"x2.5	10"x2.75
车圈直径: Rim Diameter	180mm	165mm	179mm
车圈卡槽: Rim Groove Width	38mm	31mm	50.5mm



	12"x2.0	14"x1.75	14"x2.125	14"x2.5
车圈直径: Rim Diameter	220mm	270mm	270mm	270mm
车圈卡槽: Rim Groove Width	25mm	25mm	30mm	38mm

无毒环保

NON-TOXIC & ECO-FRIENDLY

生产、使用、回收全过程环保，可循环利用；通过 ROHS 检测，美国 CPSIA 检测，无异味散发；材料配方经过科学配比，耐候性强，使用寿命长。

Eco-friendly all along the process of producing, using, and recycling, makes reusing really easy. Passed RoHS and CPSIA testing, without peculiar smell. The formula of the material is scientifically matched, with strong weather resistance and long service life.

舒适性

COMFORTABLE

蜂窝状圆孔减震结构及高弹体材料，造就了轮胎优异的运行舒适度；使用过程中能有效虑震，使轮椅在使用过程中拥有更好的体验。

Honeycomb-shape hollowed out shock-absorbing structure and high durability material offer a perfect balance of cushion and resilience so as to bring better experience for users.

轻量化

LIGHTWEIGHT

独特的结构设计不但节省了原材料，更有效的降低了轮胎的重量，最新研制的耐动环保免充气轮椅轮组在轻量化方面达到了比其他免充气轮组轻 30-40% 的成果。

The unique design not only saves raw materials, but also effectively reduces the weight of the tires. The newly developed environmental-friendly non-pneumatic wheelchair tires 30-40% weigh less than other airless tires.



医疗系列 MEDICAL SERISE



	24"x 1.1	22"x 1.1	20"x 1.1
车圈直径 Rim Diameter	550 mm	520 mm	470 mm
车圈卡槽直径 Rim Groove Width	18.5 mm	18.5 mm	18.5 mm
产品代码 Product Code	W2409	W2202	W2006

8"x 1.8 / 8"x 2.0轮组 Wheel Set

轮组外直径
Wheel Outer Diameter 194 mm

轮叉间距
Wheelbase 56mm

产品代码
Product Code W0807 (8"x1.8) W0808 (8"x2.0)




12"x 2.5 轮组 Wheel Set

轮组外直径
Wheel Outer Diameter 321 mm

产品代码
Product Code W1204

轴心匹配参数
Suitable Axis Parameter



耐动合金车圈 NEDONG ALLOY RIM

耐动合金轮圈是由广州市耐动信息科技有限公司自主研发生产, 专门为耐动免充气轮胎量身打造的一款车圈(专利号: ZL 2012 1 0136772.9), 轮圈的结构独特, 在内卡槽位处设计了两道反方向的倒扣钩, 用以固定轮胎, 防止脱落。


Nedong alloy rims are independently developed by Guangzhou Nedong Information Technology Co., Ltd. specifically for a perfect combination with Nedong non-pneumatic tires (patent number: ZL 2012 0136772.9). Structure of the rims is unique. Two reversed hooks in the opposite direction are designed at the rim groove to fix the tire and prevent it from falling off.



轮圈截面 Rim Section



单层车圈
Single Layer



双层车圈
Double Layer



倒扣展示
Rim With Hook



耐动环保 NEDONG ECO-FRIENDLY 塑钢轮 PLASTIC WHEEL

以塑代钢一体轮

加工效率高, 满足快速投放的需求

耐腐蚀, 耐候、耐水解、耐疲劳, 长期热稳定

高强度, 高刚性, 高韧性, 受到外力变形后可以恢复, 抗冲击性能好

长期户外使用强度保持率高, 使用寿命长

合理的结构设计, 缩小塑料和金属的差距, 可以有效减重

PLASTIC WHEEL

High processing efficiency to meet the needs of quick delivery.

Corrosion resistance, weather resistance, hydrolysis resistance, fatigue resistance, long-term thermal stability.

High strength, rigidity and toughness. Resilient after being deformed by external force. Good impact resistance.

Long-term outdoor use with high intensity retention and long service lifespan.

Reasonable designed structure makes plastic performance almost the same as metal, but weigh less.





20" 流星款塑钢轮


产品代码:P20A

前后开档 Front/rear Opening size	前轮110mm Front wheel	后轮120mm Rear wheel
适用刹车 Applicable brakes	抱刹 Holding brake	
适用飞轮 Applicable flywheels	单速飞轮 Single-speed flywheel	

24" 枫叶款塑钢轮

产品代码:前轮:P24BQ 后轮:P24BH

前后开档 Front/rear Opening size	前轮110mm Front wheel	后轮120mm Rear wheel
适用刹车 Applicable brakes	抱刹、前轮可适配鼓刹 Holding brake applicable. Front wheel Drum brake adaptable	
适用飞轮 Applicable flywheels	单速飞轮 Single-speed flywheel	



24" 双子款塑钢轮

产品代码:前轮:P24AQ 后轮:P24AH

前后开档 Front/rear Opening size	前轮110mm Front wheel	后轮120mm Rear wheel
适用刹车 Applicable brakes	抱刹、前轮可适配鼓刹 Holding brake applicable. Front wheel Drum brake adaptable	
适用飞轮 Applicable flywheels	单速飞轮 Single-speed flywheel	



26" 流星款塑钢轮

产品代码:前轮:N-P 26AQ 后轮:N-P 26AH

前后开档 Front/rear Opening size	前轮110mm Front wheel	后轮120mm Rear wheel
适用刹车 Applicable brakes	抱刹 Holding brake	
适用飞轮 Applicable flywheels	单速飞轮 Single-speed flywheel	

8" 塑钢轮

产品代码Product Code:N-P 08A

轮毂直径 Rim Diameter	130 mm
轮毂卡槽直径 Rim Groove Width	29 mm



12" 塑钢轮

产品代码Product Code:N-P 12A

轮毂直径 Rim Diameter	255 mm
轮毂卡槽直径 Rim Groove Width	36 mm



特种轮胎/轮毂定制 PRODUCT CUSTOMIZATION



客户定制案例 CUSTOMIZATION CASES

2.5"



7.5"



7.5"



3.5"



6"



12.5"



耐动塑钢车篮 NEDONG PLASTIC BASKET



产品代码:CL01

以塑代钢—改性塑胶材料

高强度高韧性，耐腐蚀耐疲劳
可根据客户需求定制

强度高
High Strength

韧性佳
High Tenacity

耐腐蚀
Corrosion Resistance

环保可回收
Environmentally
Recyclable

可定制
Customizable

耐动TPE把套 NEDONG TPE HANDLEBAR COVER



产品代码:BT01

高弹
TPE

TPE
Material

舒适
减震

Vibration
Comfort


经久
耐用


Durable

支持
定制

Can Be
Customized

装胎工具 INSTALLATION EQUIPMENT



耐动全自动装胎机
Nedong Automatic Tire Mounting Machine

耐动全自动装胎机是一款专门配合耐动免充气轮胎使用的装胎工具,主要应用于自行车轮胎的安装,由耐动公司自主设计研发,此款全自动装胎机能快速方便地完成整个装胎过程,有效的提高了装胎效率,已成功申请国家发明专利(ZL 2012 1 0194279.2)。

Nedong automatic tire mounting machine is a tire mounting tool specially designed for Nedong non-pneumatic tires. Independently designed and developed by Nedong, it is capable of quickly and easily completing the entire installation. This product has effectively improved the efficiency of tires mounting and has successfully won national invention patent (ZL 2012 0194279.2).

免充气轮胎气压装胎机是一款专门配合免充气轮胎使用的装胎工具,主要应用于小尺寸电动平衡车的轮胎的安装,该款全自动装胎机操作简单,轻便易用。

Pressure Mounting Machine for Non-pneumatic Tire is a tire mounting tool specially designed for Nedong non-pneumatic tires. It is mainly used for the tire mounting of small-size electric balancing vehicles. It is simple in operation, light in weight and easy to use.

免充气轮胎气压装胎机
Pressure Mounting Machine for Non-pneumatic Tire耐动手动便携式装胎机
Nedong Manual Portable Mounting Machine

耐动手动便携式装胎机是一款专门配合耐动免充气轮胎使用的装胎工具,主要适用于人工少量安装,由耐动公司自主设计研发,已经成功申请专利(ZL 2013 1 0179539.3),该款装胎机体积小巧,携带方便,适用于各个场合。

Nedong Manual Portable Mounting Machine is a tire mounting tool specially designed for Nedong non-pneumatic tires. It is mainly suitable for occasionally manual operation. Independently designed and developed by Nedong, it has successfully won patent (ZL 2013 1 0179539.3). Compact, portable and suitable for all occasions.

应用案例 COOPERATION CASES



共享单车项目

Public Bike Rental Project

共享单车已在中国乃至世界各地都有投放。
Bike sharing industry has widely and largely applied Nedong's 24x1.5 wheels.

民用自行车项目

Civil Bike Project

舒适的骑行体验及免充气不爆胎的便捷
受到用户强力推荐。
Highly recommended for comfortable cycling
experience, inflation-free and puncture-proof
features.



儿童自行车项目

Children's Bicycle Project

6-20寸轮胎均有应用于儿童自行车。
6-20" tires can be applied to kids bike.



应用案例 COOPERATION CASES



滑板车项目

Wheel Set project

6-12寸轮胎均有应用于滑板车/电动滑板车。
6-12"tires can be applied to scooters.

滑板车项目

Wheel Set project

6-12寸轮胎均有应用于滑板车/电动滑板车。
6-12"tires can be applied to scooters.



锂电自行车项目

Lithium E-bike Project

日常通勤使用的锂电自行车。
Suitable for daily commuting lithium e-bike.

应用案例 COOPERATION CASES



特种车辆项目

Special vehicle

巡检机器人、防爆机器人等项目厂家均有采用耐动轮胎。

Nedong airless tire also applied on patrol mobility, Explosion proof equipment etc area.

机器人项目

Robot Cases

耐动轮胎减震抗压,使用寿命长的特点深受高科技智能机器人厂家的青睐。

Nedong airless tire excellent damping and load capacity,perfered by High-tech robotic area.



电动轮椅-20寸轮胎

Electric Wheelchair- 20" Tire

采用8寸、20寸耐动轮胎。

Applying 8" , 20" Nedong tire.

应用案例 COOPERATION CASES



电动轮椅-12寸轮胎

Electric Wheelchair- 12" Tire

采用8寸、12寸耐动轮胎。
Applying 8" , 12" Nedong tire.

电动轮椅-10寸轮胎

Electric Wheelchair- 10" Tire

采用8寸、10寸耐动轮胎。
Applying 8" , 10" Nedong tire.



手推轮椅-24寸轮胎

Manual Wheelchair- 24" Tire

耐动轮胎环保可回收, 减震舒适, 已应用于电动轮椅、手推轮椅等医疗康复产品。

Nedong airless tire also applied on patrol mobility, Explosion proof equipment etc area.

展望未来 PROSPECT



绿色既是生命与健康的象征，也是文明与环保的标志，更是我们赖以生存的环境基色。如果没有了绿色，就会威胁到我们人类的生存与发展，地球也将面临物种灭绝。所以，携手共存“绿色资本”，已成为世界各国人民应对生态危机的共识和责任。

耐动产品品质稳定，性价比高，后续维护成本几乎为零，耐动公司坚持研发、生产、存储、销售、使用、回收再利用全过程环保无污染，属于节能环保产业，利国利民。

青山绿水就是金山银山。通过科技创新，研发绿色环保的出行产品和配套服务，是耐动公司一直坚守的职责。未来，我们将继续坚持走自主创新之路，立志做低碳环保事业的先驱者，守护我们的共同家园！

随着全球污染化越来越严重，人类的生活环境经受着越来越严峻的考验，汽车尾气排放量逐年增加，时时刻刻影响着人们的健康！绿色环境是人类追求的共同目标。未来，耐动公司将继续为实现“绿色伴您畅行”而奋斗！

Green is not only a symbol of life and health, but also a symbol of civilization and environmental protection. It is also the basic environment for our survival. If "green" is destroyed, the survival and development of our humanity will be threatened and the species on the earth will be extinguished. Therefore, maintaining "green capital" has become the consensus and responsibility of the people all over the world to cope with the ecological crisis.

The product of Nedong is of high quality, cost efficiency and zero follow-up maintenance cost. Nedong, by adhering to the principle of environmental protection throughout the entire process of R&D, production, storage, sale, use, and recycling, provides energy-saving and environmentally friendly products, thus beneficial to the nation and the people.

Green mountains and clear rivers are mountains of gold and silver. Research and development of green and environmental travel products and supporting services based on scientific and technological innovation is a responsibility that Nedong Company has always been sticking to. In the future, Nedong will go further on the road of independent innovation and aspire to be the pioneer in low-carbon and environment-protection course, so as to guard our common home!

In such a world where pollution is becoming more and more serious, people's living environment is facing increasingly severe test. The emission of automobile exhaust increases year by year, which affects people's health all the time! The green environment is the common goal we are pursuing. In the future, Nedong will continue to strive for the vision of "Green Escorts You All the Way"!

NEDONG 广州市耐动信息科技有限公司
GUANGZHOU NEDONG INFORMATION TECHNOLOGY CO.,LTD.

耐动驰天下 · 环保我先行

· INNOVATION
· ENVIRONMENTAL-FRIENDLY
· LOW-CARBON LIFE



广州总公司地址/Guangzhou Headquater:

广州市天河区龙口西路71号2楼216室

Room 216, No.71, Long Kou Xi Road, Tian He District, Guang Zhou

电话/Tel: 020-85519625 020-87592865

传真/Fax: 020-38250263

邮编/Zip: 510635

上海分公司地址/Shanghai Branch:

上海市宝山区罗迎路558弄10号201室

Room 201, No.558, Luoying Road, Baoshan District, Shanghai

电话/Tel: 021 5615 1930

邮编/Zip: 201809

网址/Website: www.nedong.com.cn